SAFETY DATA SHEET

WHITE VELVET BREEZE — fragrance compound, 100%
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	WHITE VELVET BREEZE
UFI	N6R2-67UK-5001-MN9W
Type of product	Perfumes, fragrances

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Fragrance compound for the manufacture of candles, wax melts, diffusers and air-care products. For professional use.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin irritation	Skin Irrit. 2 — H315
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aquatic hazard, acute	Aquatic Acute 1 — H400
Aquatic hazard, chronic	Aquatic Chronic 2 — H411

Classification according to Regulation (EC) No 1272/2008 [CLP], as given in the manufacturer's SDS (calculation method); verified by Eco Candle Project with the same method.

2.2 Label elements


GHS07


GHS09

Hazard pictograms	GHS07, GHS09
Signal word	WARNING
Contains (hazard-determining)	Hexyl cinnamal ((2E)-2-benzylideneoctanal), Linalool, Hexyl salicylate, Geranyl acetate, Citronellol, d-Limonene

Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains alpha-Isomethyl ionone, Pentadecan-15-olide, beta-n-Methylionone, Coumarin. May produce an allergic reaction.
Precautionary statements	P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P391 Collect spillage. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components (and substances with a workplace exposure limit) as declared by the manufacturer:

Name	Identifiers	%	Classification (EC) No 1272/2008
Hexyl cinnamal ((2E)-2-benzylideneoctanal)	CAS 165184-98-5 REACH 01-2119533092-50	20.00 – 30.00	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Linalool	CAS 78-70-6 EC 201-134-4 REACH 01-2119474016-42	10.00 – 15.00	Skin Sens. 1B, H317; Skin Irrit. 2, H315; Eye Irrit. 2, H319
2-Phenylethanol	CAS 60-12-8 EC 200-456-2 REACH 01-2119963921-31	10.00 – 15.00	Acute Tox. 4 (oral), H302; Eye Irrit. 2, H319
Benzyl acetate	CAS 140-11-4 EC 205-399-7 REACH 01-2119638272-42	5.00 – 7.50	Aquatic Chronic 3, H412
Ethylene brassylate	CAS 105-95-3 EC 203-347-8 REACH 01-2119976314-33	5.00 – 7.50	Aquatic Chronic 3, H412
Hexyl salicylate	CAS 6259-76-3 EC 228-408-6 REACH 01-2119638275-36	2.50 – 5.00	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Oxacyclohexadecen-2-one	CAS 34902-57-3 EC 422-320-3 REACH 01-0000016883-62	1.00 – 2.50	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Geranyl acetate	CAS 105-87-3 EC 203-341-5 REACH 01-2119973480-35	1.00 – 2.50	Skin Sens. 1B, H317; Skin Irrit. 2, H315; Aquatic Chronic 3, H412
Citronellol	CAS 106-22-9 EC 203-375-0 REACH 01-2119453995-23	1.00 – 2.50	Skin Sens. 1B, H317; Skin Irrit. 2, H315; Eye Irrit. 2, H319

Name	Identifiers	%	Classification (EC) No 1272/2008
d-Limonene	CAS 5989-27-5 EC 227-813-5	1.00 – 2.50	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
Terpineol	CAS 8000-41-7 EC 232-268-1	1.00 – 2.50	Skin Irrit. 2, H315; Eye Irrit. 2, H319
4-Methoxybenzaldehyde	CAS 123-11-5 EC 204-602-6 REACH 01-2119977101-43	1.00 – 2.50	Aquatic Chronic 3, H412
alpha-Isomethyl ionone	CAS 127-51-5 EC 204-846-3	0.500 – 1.00	Skin Sens. 1B, H317; Aquatic Chronic 2, H411
4-Methyl-3-decen-5-ol	CAS 81782-77-6 EC 279-815-0 REACH 01-2119983528-21	0.500 – 1.00	Aquatic Acute 1, H400; Aquatic Chronic 2, H411
Coumarin	CAS 91-64-5 EC 202-086-7 REACH 01-2119949300-45	0.100 – 0.500	Skin Sens. 1B, H317; Acute Tox. 4 (oral), H302
Pentadecan-15-olide	CAS 106-02-5 EC 203-354-6	0.100 – 0.500	Skin Sens. 1B, H317; Aquatic Chronic 2, H411
beta-n-Methylionone	CAS 63429-28-7 EC 264-140-6	0.100 – 0.500	Skin Sens. 1B, H317; Skin Irrit. 2, H315; Aquatic Chronic 2, H411

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation. Skin irritation. May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO_2).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO_2. Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Benzyl acetate, CAS 140-11-4 — Portugal: 10 ppm (8 h TWA). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Colour	Colourless to pale yellow
Odour	Characteristic — fresh floral (jasmine, neroli, green and ozonic notes, powdery musk)
Flash point	92 °C (closed cup)
Flammability	Not classified (flash point > 60 °C)
pH	Not applicable
Solubility in water	Practically insoluble
Other properties	Melting/boiling point, density, vapour pressure, viscosity, auto-ignition: not determined by the manufacturer.

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO_2 and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 10,291 mg/kg)
Skin corrosion/irritation	Skin Irrit. 2 — H315
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Acute 1 — H400; Aquatic Chronic 2 — H411. Main contributors: hexyl salicylate, oxacyclohexadecen-2-one, hexyl cinnamal ((2E)-2-benzylideneoctanal), d-Limonene and 4-Methyl-3-decen-5-ol.
12.2–12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP13, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

	ADR / RID	IMDG	IATA
14.1 UN number	UN 3082	UN 3082	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL SALICYLATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL SALICYLATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL SALICYLATE)
14.3 Class	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes	Yes — marine pollutant	Yes

14.6 Special precautions: ADR tunnel code (-); limited quantity 5 L/5 kg; packages ≤ 5 L/5 kg are exempt from the environmentally hazardous substance provisions (ADR SP 375, IMDG 2.10.2.7). 14.7 Bulk (IMO): not applicable.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
Seveso III	E1 — Hazardous to the aquatic environment, Acute 1 / Chronic 1.
PCN / UFI	UFI N6R2-67UK-5001-MN9W (manufacturer's notification).
IFRA (51st)	Candles (Cat. 12): no restriction (100%). Reed diffusers (Cat. 10A): max 19.00%. Room sprays (Cat. 10B): max 44.00%. Fine fragrance (Cat. 4): max 43.50%. See IFRA certificate.

SECTION 16: Other information

Revision	Version 1.1 — Eco Candle Project edition, 04/11/2026. Based on the manufacturer's SDS for the pure fragrance (version 13.0 of 11/03/2024, issued 14/04/2024), allergen declaration and IFRA 51st Amendment certificate (22/12/2023). The manufacturer declares component concentrations as ranges. Exact values from the manufacturer's allergen declaration were used where available (hexyl cinnamal, linalool, citronellol, geranyl acetate, d-limonene, terpineol, alpha-isomethyl ionone, coumarin) and the upper limit of the range otherwise (conservative); with these values the calculation reproduces the manufacturer's classification of the pure fragrance (H315, H317, H319, H400, H411). The manufacturer has not issued SDSs for diluted preparations — the classifications of the 5%, 10%, 19% and 25% preparations were calculated by Eco Candle Project with the CLP calculation method. Changes from version 1.0 (19/10/2026): the generic cut-off values of Regulation (EC) No 1272/2008, Annex I, Table 1.1 are now applied in the summation method for aquatic hazards (ingredients below 1 % — or 0.1 % ÷ M for Aquatic Acute 1 / Chronic 1 — are not taken into account). 25% preparation: H317, H319, H411 → H317, H319, H412. Composition, other hazard classes and IFRA limits unchanged.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H319** Causes serious eye irritation. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application.