

SAFETY DATA SHEET

WHITE MUSK & AMBER — 10% preparation in non-hazardous wax base
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 10% of WHITE MUSK & AMBER fragrance and 90% of non-hazardous wax base. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with WHITE MUSK & AMBER at 10%
UFI (pure fragrance)	59H1-7007-N00Q-JUMH
Type of product	Perfumes, fragrances
Base	Non-hazardous, non-classified wax (e.g. soy, rapeseed, coconut or paraffin) — 90%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Scented candles, wax melts and scented waxes.
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)
------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H411
Aquatic hazard, chronic	Aquatic Chronic 2 — H411. $10 \times M \times \Sigma \text{Chronic 1} + \Sigma \text{Chronic 2} = 29.3\%$ ($\geq 25\% \rightarrow \text{Chronic 2}$); $100 \times M \times \Sigma \text{Chronic 1} + 10 \times \Sigma \text{Chronic 2} + \Sigma \text{Chronic 3} = 293.2\%$.
Skin sensitisation	Not classified — highest sensitiser acetyl cedrene $0.79\% < 1\%$. EUH208 applies ($\geq 1/10$ of the limit).
Eye irritation	Not classified — $\Sigma \text{Eye Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Skin irritation	Not classified — $\Sigma \text{Skin Irrit. 2} (\geq 1\%) = 0.00\%$ (threshold: 10%).
Aspiration hazard	Not classified — $\Sigma \text{Asp. Tox. 1} = 0.04\%$ (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix $\approx 42,544 \text{ mg/kg}$ (threshold: 2000 mg/kg).
Reproductive toxicity	Not classified — Highest Repr. 2 component 0.49% (generic limit: 3%).
Notes	The pure fragrance (100%) is classified H315, H317, H319, H361, H400 and H410 (WARNING). See Annex — Calculation record.
Manufacturer cross-check	Consistent with the manufacturer's SDS for the 10% dilution, dated 03/06/2025: H411.

2.2 Label elements



GHS09

Hazard pictograms	GHS09
Signal word	None (GHS09 only)
Hazard statements	H411 Toxic to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Acetyl cedrene, Piperonal (heliotropin), Linalool, Linalyl acetate, alpha-Isomethyl ionone. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) $\geq 0.1\%$, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties $\geq 0.1\%$ (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 10% (manufacturer's values $\times 0.10$):

Name	Identifiers	%	Classification (EC) No 1272/2008
7-Acetyl-1,1,3,4,4,6-hexamethyl tetralin (AHTN)	CAS 1506-02-1 EC 216-133-4 REACH 01-2119539433-40	1.32	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Acetyl cedrene	CAS 32388-55-9 EC 251-020-3 REACH 01-2119969651-28	0.790	Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Hexamethylindanopyran (HHCB)	CAS 1222-05-5 EC 214-946-9	0.750	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
Piperonal (heliotropin)	CAS 120-57-0 EC 204-409-7 REACH 01-2119983608-21	0.492	Skin Sens. 1B, H317; Repr. 2, H361fd
Linalool	CAS 78-70-6 EC 201-134-4	0.383	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
3-(5,5,6-Trimethylbicyclo[2.2.1] hept-2-yl)cyclohexan-1-ol	CAS 3407-42-9 EC 222-294-1 REACH 01-2119979583-21	0.280	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Repr. 2, H361; Aquatic Chronic 2, H411
Dihydromyrcenol (2,6-dimethyloct-7-en-2-ol)	CAS 18479-58-8 EC 242-362-4 REACH 01-2119457274-37	0.210	Skin Irrit. 2, H315; Eye Irrit. 2, H319
Linalyl acetate	CAS 115-95-7 EC 204-116-4 REACH 01-2119454789-19	0.326	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
Indeno-dioxin (magnolan)	CAS 27606-09-3 EC 248-561-2 REACH 01-2120234292-65	0.180	Acute Tox. 4 (oral), H302



Name	Identifiers	%	Classification (EC) No 1272/2008
Ethyl vanillin	CAS 121-32-4 EC 204-464-7 REACH 01-2119958961-24	0.150	Acute Tox. 4 (oral), H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335
alpha-Isomethyl ionone	CAS 127-51-5 EC 204-846-3 REACH 01-2119471851-35	0.140	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Tetrahydro-4-methyl-2-(2-methylpropyl)-2H-pyran-4-ol	CAS 63500-71-0 EC 405-040-6 REACH 01-2119638272-42	0.120	Eye Irrit. 2, H319
Camphor	CAS 76-22-2 EC 200-945-0 REACH 01-2119966156-31	0.049	Flam. Sol. 2, H228; Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 2, H371; Aquatic Chronic 2, H411
Eucalyptol (1,8-cineole)	CAS 470-82-6 EC 207-431-5	0.042	Flam. Liq. 3, H226; Skin Sens. 1B, H317
Cyclamen aldehyde	CAS 103-95-7 EC 203-161-7	0.035	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412
d-Limonene	CAS 5989-27-5 EC 227-813-5	0.025	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Citronellol	CAS 106-22-9 EC 203-375-0 REACH 01-2119453995-23	0.015	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317
beta-Caryophyllene	CAS 87-44-5 EC 201-746-1	0.010	Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Chronic 4, H413
Eugenol	CAS 97-53-0 EC 202-589-1 REACH 01-2119971802-33	0.010	Eye Irrit. 2, H319; Skin Sens. 1B, H317
Geranyl acetate	CAS 105-87-3 EC 203-341-5 REACH 01-2119973480-35	0.010	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412
Inert base	—	90	Not classified

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice. Molten wax: cool immediately with cold water; do not remove adhering wax; seek medical attention for burns.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	May produce an allergic reaction in sensitised persons.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO ₂ . Prevent run-off from entering drains or watercourses.



Advice for firefighters	Self-contained breathing apparatus and full protective clothing.
-------------------------	--

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Solid wax: collect mechanically. Molten wax: allow to solidify and scrape up.

SECTION 7: Handling and storage

7.1 Safe handling	Melt the wax with controlled heating and good ventilation. Add the fragrance at a moderate temperature (typically 75–85 °C, or as per the wax data sheet) and below the fragrance flash point (above 60 °C). Do not leave melting wax unattended. Wash hands after use.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Diethyl phthalate (DEP), CAS 84-66-2 — 5 mg/m ³ (8 h TWA); 10 mg/m ³ (15 min STEL). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm. Molten wax: heat-resistant gloves (EN 407).
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Solid at 20 °C (wax); liquid when molten
Odour	Characteristic — white musk, amber
Flash point	Not determined for the preparation; pure fragrance > 60 °C
Density	Depends on the base
Solubility	Insoluble in water

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO ₂ and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 42,544 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Not classified
Skin sensitisation	Not classified (EUH208)



Aspiration hazard	Not classified
Reproductive toxicity	Not classified (highest Repr. 2 component 0.49% < 3%)
Mutagenicity, carcinogenicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 2 — H411. Main contributors: 7-Acetyl-1,1,3,4,4,6-hexamethyltetralin (AHTN), acetyl cedrene, hexamethylindanopyran (HHCB), 3-(5,5,6-Trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol and d-Limonene.
12.2-12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

	ADR / RID	IMDG	IATA
14.1 UN number	UN 3082	UN 3082	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7-ACETYL-1,1,3,4,4,6-HEXAMETHYLTETRALIN E, HEXAMETHYLINDANOPYRAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7-ACETYL-1,1,3,4,4,6-HEXAMETHYLTETRALIN E, HEXAMETHYLINDANOPYRAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7-ACETYL-1,1,3,4,4,6-HEXAMETHYLTETRALIN E, HEXAMETHYLINDANOPYRAN)
14.3 Class	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes	Yes — marine pollutant	Yes

14.6 Special precautions: ADR tunnel code (-); limited quantity 5 L/5 kg; packages ≤ 5 L/5 kg are exempt from the environmentally hazardous substance provisions (ADR SP 375, IMDG 2.10.2.7). 14.7 Bulk (IMO): not applicable. Solid wax preparations: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., Class 9, PG III. Finished candles are articles and are not regulated.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
Drug precursors	Contains piperonal (CAS 120-57-0, 0.49%), a Category 1 scheduled substance under Regulation (EC) No 273/2004 (Annex I). The mixture is compounded so that the substance cannot be easily used or extracted; nevertheless, keep records of transactions and report any suspicious orders or transactions to the competent authority.
PCN / UFI	Not required — the mixture is classified only for an environmental hazard.
IFRA (50th)	Candles (Cat. 12): no restriction — 10% complies.



SECTION 16: Other information

Revision	Version 1.0 — Eco Candle Project edition, 22/10/2026. Based on the manufacturer's SDS for the pure fragrance (version 1 of 23/08/2023, issued 23/08/2023), allergen declaration and IFRA 50th Amendment certificate (23/08/2023). Classification of the 10% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; DEP = diethyl phthalate; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H228** Flammable solid. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H332** Harmful if inhaled. **H335** May cause respiratory irritation. **H361** Suspected of damaging fertility or the unborn child. **H361fd** Suspected of damaging fertility. Suspected of damaging the unborn child. **H371** May cause damage to organs. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects. **H413** May cause long lasting harmful effects to aquatic life.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (10%)

Hazard class	Fragrance 100%	Calculation at 10% / threshold	Result at 10%
Acute toxicity (oral)	Not classified (ATE 4,254)	$ATE \approx 42,544 \text{ mg/kg} / \leq 2000$	Not classified
Aspiration hazard	Not classified	$\Sigma = 0.04\% / \geq 10\%$	Not classified
Skin irritation	Skin Irrit. 2	$\Sigma = 0.00\% / \geq 10\%$	Not classified
Eye irritation	Eye Irrit. 2	$\Sigma = 0.0\% / \geq 10\%$	Not classified
Skin sensitisation	Skin Sens. 1	acetyl cedrene 0.79% / $\geq 1\%$	Not classified (EUH208)
Reproductive toxicity	Repr. 2	0.49% / $\geq 3\%$	Not classified
Aquatic acute	Aquatic Acute 1	$\Sigma M \times A1 = 2.9\% / \geq 25\%$	Not classified
Aquatic chronic	Aquatic Chronic 1	C2: 29.3%; C3: 293.2% / $\geq 25\%$	Aquatic Chronic 2 — H411
Physical hazards	Not classified (FP > 60 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance.