SAFETY DATA SHEET

COSY COCOON — 16% preparation in Augeo Clean Multi
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 16% of COSY COCOON fragrance and 84% of Augeo Clean Multi. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I), including Augeo Clean Multi, which is classified Eye Irrit. 2 (H319).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with COSY COCOON at 16%
UFI (pure fragrance)	4SDM-12KK-C00C-92RD
Type of product	Perfumes, fragrances
Base	Augeo Clean Multi (2,2-dimethyl-1,3-dioxolane-4-methanol, CAS 100-79-8) — 84%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reed-diffuser liquid in Augeo Clean Multi (16% fragrance complies with the IFRA 10A limit of 16.63%).
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H319, H412
Aquatic hazard, chronic	Aquatic Chronic 3 — H412. 10 × M × Σ Chronic 1 + Σ Chronic 2 = 17.5% (≥ 25% → Chronic 2); 100 × M × Σ Chronic 1 + 10 × Σ Chronic 2 + Σ Chronic 3 = 175.0%. Components below the generic cut-off values of Annex I, Table 1.1 (1%; 0.1% ÷ M for Acute 1 / Chronic 1) are not taken into account (10 components).
Skin sensitisation	Not classified — highest sensitiser tetramethyl acetyloctahydronaphthalenes (OTNE) 0.44% < 1%. EUH208 applies (≥ 1/10 of the limit).
Eye irritation	Eye Irrit. 2 — H319, due to Augeo Clean Multi (84%, Eye Irrit. 2). Σ Eye Irrit. 2 (≥ 1%) ≈ 84.0% (threshold: 10%).
Skin irritation	Not classified — Σ Skin Irrit. 2 (≥ 1%) = 0.00% (threshold: 10%).
Aspiration hazard	Not classified — Σ Asp. Tox. 1 = 0.92% (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix ≈ 155,281 mg/kg (threshold: 2000 mg/kg).
Notes	The pure fragrance (100%) is classified H317 and H411 (WARNING). See Annex — Calculation record.

2.2 Label elements



GHS07

Hazard pictograms	GHS07
Signal word	Warning
Hazard statements	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Tetramethyl acetyloctahydronaphthalenes (OTNE), Longifolene / caryophyllene reaction mass (4,8,8-trimethyl-9-methylenedecahydro-1,4-methanoazulene), 2,2,6-Trimethyl-alpha-propylcyclohexanepropanol, Acetyl cedrene, Hexyl cinnamal, Coumarin, Dihydro pentamethylindanone, (E)-2-(3,5-Dimethylhex-3-en-2-yloxy)-2-methylpropyl cyclopropanecarboxylate, Isoeugenol. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 16% (manufacturer's values × 0.16):

Name	Identifiers	%	Classification (EC) No 1272/2008
Cedarwood oil terpenes and terpenoids	CAS 11028-42-5 / 68608-32-2 EC 947-279-3 REACH 01-2120762996-34	0.160 – 0.800	Skin Irrit. 2, H315; Asp. Tox. 1, H304
Tetramethyl acetyloctahydronaphthalenes (OTNE)	CAS 54464-57-2 EC 915-730-3 REACH 01-2119489989-04	0.400 – 0.800	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 (M = 1)
Longifolene / caryophyllene reaction mass (4,8,8-trimethyl-9-methylenedecahydro-1,4-methanoazulene)	CAS 475-20-7 EC 904-919-6 REACH 01-2120739837-39	0.160 – 0.400	Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Acetyl cedrene	CAS 32388-55-9 EC 251-020-3 REACH 01-2119969651-28	0.160 – 0.400	Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
2,2,6-Trimethyl-alpha-propylcyclohexanepropanol	CAS 70788-30-6 EC 947-716-8 REACH 01-2120768938-30	0.160 – 0.400	Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)

Name	Identifiers	%	Classification (EC) No 1272/2008
Hexyl cinnamal	CAS 101-86-0 / 165184-98-5 EC 639-566-4 REACH 01-2119533092-50	0.160 – 0.400	Skin Sens. 1B, H317; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 2, H411
4-(1-Ethoxyvinyl)-3,3,5,5-tetra methylcyclohexan-1-one	CAS 36306-87-3 EC 252-961-2 REACH 01-2120224905-56	0.160 – 0.400	Skin Irrit. 2, H315; Aquatic Chronic 2, H411
2-Phenylethanol	CAS 60-12-8 EC 200-456-2 REACH 01-2119963921-31	0.160 – 0.800	Acute Tox. 4 (oral), H302; Eye Irrit. 2, H319
Oxacyclohexadecen-2-one	CAS 34902-57-3 / 111879-80-2 EC 422-320-3 REACH 01-0000016883-62	0.040 – 0.160	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410
Dihydro pentamethylindanone	CAS 33704-61-9 EC 251-649-3 REACH 01-2119977131-40	0.040 – 0.160	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Coumarin	CAS 91-64-5 EC 202-086-7 REACH 01-2119949300-45	0.016 – 0.160	Acute Tox. 4 (oral), H302; Skin Sens. 1B, H317
Ethyl linalool (3,7-dimethylnona -1,6-dien-3-ol)	CAS 10339-55-6 EC 233-732-6 REACH 01-2119969272-32	0.016 – 0.160	Eye Irrit. 2, H319; Skin Sens. 1B, H317
Trimethylcyclopentenyl methylisopentenol	CAS 107898-54-4 EC 411-580-3 REACH 01-0000015895-58	0.040 – 0.160	Skin Irrit. 2, H315; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
beta-Caryophyllene	CAS 87-44-5 EC 201-746-1 REACH 01-2120745237-53	0.016 – 0.160	Skin Sens. 1B, H317; Asp. Tox. 1, H304
alpha-Isomethyl ionone	CAS 127-51-5 EC 695-097-5 REACH 01-2120745133-63	0.040 – 0.160	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 2, H411
Geraniol	CAS 106-24-1 EC 203-377-1 REACH 01-2119552430-49	0.016 – 0.160	Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1, H317
(E)-2-(3,5-Dimethylhex-3-en-2-y loxy)-2-methylpropyl cyclopropanecarboxylate	CAS 676532-44-8 / 1835697-72-7 EC 700-118-9 REACH 01-2119407467-38	0.040 – 0.160	Skin Sens. 1, H317; STOT RE 2, H373; Aquatic Chronic 2, H411
cis-3-Hexenyl salicylate	CAS 65405-77-8 EC 265-745-8 REACH 01-2119987320-37	0.016 – 0.040	Repr. 2, H361; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 2, H411
(1-Methyl-2-(1,2,2-trimethylbicy clo[3.1.0]hex-3-ylmethyl)cyclop ropyl)methanol	CAS 198404-98-7 EC 427-900-1 REACH 01-0000017424-73	0.016 – 0.040	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Vetiveryl acetate	CAS 84082-84-8 / 68917-34-0 / 62563-80-8 EC 282-031-1 REACH 01-2120755957-35	0.016 – 0.040	Skin Sens. 1B, H317; Asp. Tox. 1, H304; Aquatic Chronic 2, H411
Longicyclene	CAS 1137-12-8 EC 214-504-5	0.016 – 0.040	Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M = 10); Aquatic Chronic 1, H410 (M = 10)
alpha-Cedrene	CAS 469-61-4 EC 207-418-4	0.004 – 0.016	Skin Irrit. 2, H315; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M = 10); Aquatic Chronic 1, H410 (M = 10)

Name	Identifiers	%	Classification (EC) No 1272/2008
beta-Damascenone (rose ketone)	CAS 23696-85-7 / 23726-93-4 EC 245-833-2 REACH 01-2120105798-49	0.003 – 0.004	Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Chronic 2, H411
Isoeugenol	CAS 97-54-1 / 5932-68-3 EC 202-590-7 REACH 01-2120223682-61	< 0.002	Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Acute Tox. 4 (dermal), H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317 (SCL ≥ 0.01%); STOT SE 3, H335
Augeo Clean Multi	CAS 100-79-8 EC 202-888-8	84	Eye Irrit. 2, H319

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO_2).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO_2. Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	No occupational exposure limits for the components. DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — sandalwood, fig, musk
Flash point	Not determined for the preparation; pure fragrance 122 °C (closed cup); Augeo Clean Multi 91 °C
Density	Augeo Clean Multi 1.069 g/cm³; mixture not determined
Solubility	Augeo is miscible with water and alcohols

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO_2 and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 155,281 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Not classified (EUH208)
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: tetramethyl acetyloctahydronaphthalenes (OTNE), longifolene / caryophyllene reaction mass (4,8,8-trimethyl-9-methylenedecahydro-1,4-methanoazulene), 2,2,6-Trimethyl-alpha-propylcyclohexanepropanol, longicyclene and acetyl cedrene.
12.2–12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 16% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
PCN / UFI	Classified for health hazards (H319): a PCN with its own UFI is required if this preparation is placed on the market; the fragrance UFI (4SDM-12KK-C00C-92RD) can be declared as a component (MiM).
IFRA (51st)	Reed diffusers (Cat. 10A): max 16.63% fragrance — this 16% preparation complies if used neat. Room sprays (Cat. 10B): max 35.83% fragrance.

SECTION 16: Other information

Revision	Version 1.1 — Eco Candle Project edition, 04/11/2026. Based on the manufacturer's SDS for the pure fragrance (version 1.0 of 07/04/2025, issued 07/04/2025), allergen declaration and IFRA 51st Amendment certificate (07/04/2025). The manufacturer declares component concentrations as ranges. Exact values from the manufacturer's allergen declaration were used where available (tetramethyl acetyloctahydronaphthalenes, acetyl cedrene, hexyl cinnamal, coumarin, beta-caryophyllene, alpha-isomethyl ionone, trimethylcyclopentenyl methylisopentenol, geraniol, rose ketones, isoeugenol) and the midpoint of the range otherwise; with these values the calculation reproduces the manufacturer's classification of the pure fragrance (H317, H411). The manufacturer has not issued SDSs for diluted preparations — the classifications of the 5%, 10%, 16% and 25% preparations were calculated by Eco Candle Project with the CLP calculation method. Changes from version 1.0 (19/10/2026): the generic cut-off values of Regulation (EC) No 1272/2008, Annex I, Table 1.1 are now applied in the summation method for aquatic hazards (ingredients below 1 % — or 0.1 % ÷ M for Aquatic Acute 1 / Chronic 1 — are not taken into account). 5% preparation: H412 → not classified. Composition, other hazard classes and IFRA limits unchanged. Classification of the 16% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; OTNE = tetramethyl acetyloctahydronaphthalenes; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H302 Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H312** Harmful in contact with skin. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H332** Harmful if inhaled. **H335** May cause respiratory irritation. **H361** Suspected of damaging fertility or the unborn child. **H373** May cause damage to organs through prolonged or repeated exposure. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (16%)

Hazard class	Fragrance 100%	Calculation at 16% / threshold	Result at 16%
Acute toxicity (oral)	Not classified (ATE 24,845)	ATE ≈ 155,281 mg/kg / ≤ 2000	Not classified
Aspiration hazard	Not classified	Σ = 0.92% / ≥ 10%	Not classified
Skin irritation	Not classified	Σ = 0.00% / ≥ 10%	Not classified
Eye irritation	Not classified	Σ = 84.0% / ≥ 10%	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1	tetramethyl acetyloctahydronaphthalenes (OTNE) 0.44% / ≥ 1%	Not classified (EUH208)
Aquatic chronic	Aquatic Chronic 2	C2: 17.5%; C3: 175.0% / ≥ 25%	Aquatic Chronic 3 — H412
Physical hazards	Not classified (FP 122 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance; Augeo Clean Multi adds H319.