SAFETY DATA SHEET

GREEN FOREST — 23% preparation in Augeo Clean Multi
According to Regulation (EC) No 1907/2006 (REACH), Annex II, as amended by Regulation (EU) 2020/878

⚠ **NOTE:** This document applies to the final mixture containing 23% of GREEN FOREST fragrance and 77% of Augeo Clean Multi. Classification calculated by Eco Candle Project from the composition declared in the manufacturer's SDS for the pure fragrance (CLP calculation method, Regulation (EC) No 1272/2008, Annex I), including Augeo Clean Multi, which is classified Eye Irrit. 2 (H319).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form	Mixture
Trade name	Preparation with GREEN FOREST at 23%
UFI (pure fragrance)	M4WT-9MVD-JU1A-W853
Type of product	Perfumes, fragrances
Base	Augeo Clean Multi (2,2-dimethyl-1,3-dioxolane-4-methanol, CAS 100-79-8) — 77%

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reed-diffuser liquid in Augeo Clean Multi (23% fragrance complies with the IFRA 10A limit of 23.35%).
Uses advised against	Not for personal use. Not for direct application to skin. Cosmetic use only within the IFRA limits and with a cosmetic safety assessment.

1.3 Details of the supplier of the safety data sheet

Company	VEGTEAM, Lda. — Eco Candle Project
Address	R. Quinta de Santa Marta, Lojas EF, 1495-171 Algés, Portugal
E-mail	info@ecocandleproject.com
Website	www.ecocandleproject.com

1.4 Emergency telephone number

Emergency number	CIAV — Poison Information Centre (INEM): +351 800 250 250 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result	MIXTURE CLASSIFIED AS HAZARDOUS — H317, H319, H412
Aquatic hazard, chronic	Aquatic Chronic 3 — H412. 10 × M × Σ Chronic 1 + Σ Chronic 2 = 20.6% (≥ 25% → Chronic 2); 100 × M × Σ Chronic 1 + 10 × Σ Chronic 2 + Σ Chronic 3 = 205.6%. Components below the generic cut-off values of Annex I, Table 1.1 (1%; 0.1% ÷ M for Acute 1 / Chronic 1) are not taken into account (13 components).
Skin sensitisation	Skin Sens. 1 — H317. 4-tert-Butylcyclohexyl acetate 2.30% is ≥ the concentration limit (1% generic).
Eye irritation	Eye Irrit. 2 — H319, due to Augeo Clean Multi (77%, Eye Irrit. 2). Σ Eye Irrit. 2 (≥ 1%) ≈ 77.0% (threshold: 10%).
Skin irritation	Not classified — Σ Skin Irrit. 2 (≥ 1%) = 0.00% (threshold: 10%).
Aspiration hazard	Not classified — Σ Asp. Tox. 1 = 1.80% (threshold: 10%).
Acute toxicity (oral)	Not classified — ATE mix ≈ 71,277 mg/kg (threshold: 2000 mg/kg).
Notes	The pure fragrance (100%) is classified H315, H317, H319 and H411 (WARNING). See Annex — Calculation record.

2.2 Label elements



GHS07

Hazard pictograms	GHS07
Signal word	Warning
Contains (hazard-determining)	4-tert-Butylcyclohexyl acetate
Hazard statements	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Supplemental information	EUH208 Contains Eucalyptus oil, Tetramethyl acetyloctahydronaphthalenes (OTNE), 2,2,6-Trimethyl-alpha-propylcyclohexanepropanol, beta-Pinene, Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde), Ethyl 3-isopropylbicyclo[2.2.1]hept-5-ene-2-carboxylate (reaction mass), Cyclamen aldehyde, 2-Methylundecanal, alpha-Pinene, 3-Carene (3,7,7-trimethylbicyclo[4.1.0]hept-3-ene), Dihydro pentamethylindanone, Carvone, Dynascone, Methyl 2,4-dihydroxy-3,6-dimethylbenzoate, Coumarin, Cinnamal. May produce an allergic reaction.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local regulations.
Finished product	Candles: also apply the safety labelling of EN 15494. When supplied to consumers add P101/P102 and the name, address and telephone of the supplier.

2.3 Other hazards

The mixture contains no Substances of Very High Concern (SVHC) ≥ 0.1%, no PBT/vPvB substances (REACH Annex XIII) and no substances with endocrine-disrupting properties ≥ 0.1% (Delegated Regulation (EU) 2017/2100 / Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture of fragrance substances. Hazardous components — concentrations refer to the FINAL mixture at 23% (manufacturer's values × 0.23):

Name	Identifiers	%	Classification (EC) No 1272/2008
Cyclamen aldehyde	CAS 103-95-7 EC 203-161-7 REACH 01-2119970582-32	0.023 – 0.228	Aquatic Chronic 3, H412; Skin Irrit. 2, H315; Skin Sens. 1B, H317
Coumarin	CAS 91-64-5 EC 202-086-7 REACH 01-2119949300-45	0.023 – 0.228	Acute Tox. 3 (oral), H301; Skin Sens. 1B, H317
2-Methylundecanal	CAS 110-41-8 EC 203-765-0 REACH 01-2119969443-29	0.023 – 0.228	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317

Name	Identifiers	%	Classification (EC) No 1272/2008
alpha-Pinene	CAS 80-56-8 EC 201-291-9 REACH 01-2119519223-49	0.023 – 0.228	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1); Asp. Tox. 1, H304; Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317
3-Carene (3,7,7-trimethylbicyclo[4.1.0]hept-3-ene)	CAS 13466-78-9 EC 236-719-3 REACH 01-2119520252-55	0.023 – 0.228	Acute Tox. 4 (inhalation), H332; Aquatic Chronic 2, H411; Asp. Tox. 1, H304; Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317
Dihydro pentamethylindanone	CAS 33704-61-9 EC 251-649-3 REACH 01-2119977131-40	0.023 – 0.228	Aquatic Chronic 2, H411; Eye Irrit. 2, H319; Skin Irrit. 2, H315; Skin Sens. 1B, H317
Eugenol	CAS 97-53-0 EC 202-589-1 REACH 01-2119971802-33	0.023 – 0.228	Eye Irrit. 2, H319; Skin Sens. 1B, H317
Carvone	CAS 6485-40-1 EC 229-352-5 REACH 01-2119962458-25	0.023 – 0.228	Skin Sens. 1B, H317
d-Limonene	CAS 5989-27-5 EC 227-813-5 REACH 01-2119529223-47	0.023 – 0.228	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 3, H412; Asp. Tox. 1, H304; Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317
Dynascone	CAS 56973-85-4 EC 260-486-7 REACH 01-2120739840-52	0.023 – 0.228	Aquatic Chronic 2, H411; Skin Sens. 1, H317
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	CAS 4707-47-5 EC 225-193-0 REACH 01-2120762759-36	0.023 – 0.228	Skin Sens. 1B, H317
Cinnamal	CAS 104-55-2 EC 203-213-9 REACH 01-2119935242-45	0.002 – 0.021	Acute Tox. 4 (dermal), H312; Aquatic Chronic 3, H412; Eye Irrit. 2, H319; Skin Irrit. 2, H315; Skin Sens. 1A, H317
4-tert-Butylcyclohexyl acetate	CAS 32210-23-4 EC 250-954-9 REACH 01-2119976286-24	0.690 – 2.30	Skin Sens. 1B, H317
Eucalyptus oil	CAS 8000-48-4 EC 283-406-2 REACH 01-2119978250-37	0.575 – 0.688	Aquatic Chronic 2, H411; Asp. Tox. 1, H304; Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317
Tetramethyl acetyloctahydronaphthalenes (OTNE)	CAS 54464-57-2 EC 259-174-3 REACH 01-2119489989-04	0.575 – 0.688	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317
2,2,6-Trimethyl-alpha-propylcyclohexanepropanol	CAS 70788-30-6 EC 274-892-7 REACH 01-2120768938-30	0.230 – 0.573	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317
Diphenyl ether	CAS 101-84-8 EC 202-981-2 REACH 01-2119472545-33	0.230 – 0.573	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 3, H412; Eye Irrit. 2, H319
Camphor	CAS 76-22-2 EC 200-945-0 REACH 01-2119966156-31	0.230 – 0.573	Acute Tox. 4 (oral), H302; Acute Tox. 4 (inhalation), H332; Aquatic Chronic 2, H411; Eye Dam. 1, H318; Flam. Sol. 2, H228; STOT SE 2, H371; Skin Irrit. 2, H315
beta-Pinene	CAS 127-91-3 EC 204-872-5 REACH 01-2119519230-54	0.230 – 0.573	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410; Asp. Tox. 1, H304; Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317
Propyl (2S)-2-(1,1-dimethylpropoxy)propanoate	CAS 319002-92-1 EC 437-530-0	0.230 – 0.573	Aquatic Chronic 3, H412
Menthol	CAS 89-78-1 EC 201-939-0 REACH 01-2119458866-21	0.230 – 0.573	Eye Irrit. 2, H319; Skin Irrit. 2, H315

Name	Identifiers	%	Classification (EC) No 1272/2008
Triplal (2,4-dimethylcyclohex-3-ene-1-carbaldehyde)	CAS 68039-49-6 EC 268-264-1	0.230 – 0.573	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317
Ethyl 3-isopropylbicyclo[2.2.1]hept-5-ene-2-carboxylate (reaction mass)	CAS 116126-82-0 EC 427-090-8 REACH 01-0000017347-67	0.230 – 0.573	Aquatic Chronic 2, H411; Skin Sens. 1B, H317
Amyl salicylate	CAS 2050-08-0 EC 218-080-2 REACH 01-2119969444-27	0.023 – 0.228	Acute Tox. 4 (oral), H302; Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1)
Camphene	CAS 79-92-5 EC 201-234-8	0.023 – 0.228	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 1, H410 (M = 1); Eye Irrit. 2, H319; Flam. Sol. 1, H228
Augeo Clean Multi	CAS 100-79-8 EC 202-888-8	77	Eye Irrit. 2, H319

Full text of H-statements: see Section 16.

SECTION 4: First aid measures

Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If eye irritation persists, seek medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If skin irritation or rash occurs, seek medical advice.
Inhalation	Move the person to fresh air and keep at rest. If symptoms persist, seek medical advice.
Ingestion	Rinse mouth. Do NOT induce vomiting. Contact the Poison Centre (CIAV 800 250 250) or a doctor.
Most important symptoms	Eye irritation. May cause an allergic skin reaction.
Medical attention	Treat symptomatically.

SECTION 5: Firefighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide (CO_2).
Unsuitable extinguishing media	Water jet.
Special hazards	Combustion may release smoke, CO and CO_2. Prevent run-off from entering drains or watercourses.
Advice for firefighters	Self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

Personal precautions	Wear gloves and eye protection. Ensure ventilation. Remove ignition sources.
Environmental precautions	Prevent entry into drains, watercourses or soil.
Containment and cleaning up	Absorb with inert material (sand, diatomaceous earth, universal binder) and place in closed containers for disposal.

SECTION 7: Handling and storage

7.1 Safe handling	Avoid contact with skin and eyes; do not breathe vapours. Keep away from heat, ignition sources and naked flames. Do not eat, drink or smoke in the work area. Wash hands after handling.
7.2 Storage	Keep container tightly closed in a cool, dry, well-ventilated place (10–25 °C), protected from light, heat and ignition sources. Keep out of reach of children.
7.3 Specific end uses	See Section 1.2 and the IFRA certificate.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters	Exposure limits listed by the manufacturer: Camphor, CAS 76-22-2 — Portugal: 2 ppm (8 h TWA); 3 ppm (STEL); β-Pinene, CAS 127-91-3 — Portugal: 20 ppm (8 h TWA, turpentine and selected monoterpenes). DNEL/PNEC: not available for the mixture.
Engineering controls	Adequate general ventilation; local exhaust for heated or large-scale operations. Eyewash available.
Eye/face protection	Safety glasses with side shields or goggles (EN 166).
Hand protection	Chemical-resistant nitrile gloves (EN ISO 374), ≥ 0.2 mm.
Respiratory protection	Not required with adequate ventilation; otherwise filter type A (EN 14387).

SECTION 9: Physical and chemical properties

Physical state	Liquid
Odour	Characteristic — spruce, pine, eucalyptus
Flash point	Not determined for the preparation; pure fragrance > 85 °C (closed cup); Augeo Clean Multi 91 °C
Density	Augeo Clean Multi 1.069 g/cm³; mixture not determined
Solubility	Augeo is miscible with water and alcohols

SECTION 10: Stability and reactivity

Reactivity / stability	Stable under normal conditions of use and storage. No dangerous reactions known.
Conditions to avoid	Heat, flames, ignition sources.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition	In case of combustion: CO, CO_2 and smoke.

SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified (ATE ≈ 71,277 mg/kg)
Skin corrosion/irritation	Not classified
Eye irritation	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1 — H317
Aspiration hazard	Not classified
Mutagenicity, carcinogenicity, reproductive toxicity, STOT	Not classified

SECTION 12: Ecological information

12.1 Toxicity	Aquatic Chronic 3 — H412. Main contributors: 2,2,6-Trimethyl-alpha-propylcyclohexanepropanol, beta-Pinene, 2-Methylundecanal, alpha-Pinene and amyl salicylate.
12.2–12.7	No data for the mixture. No PBT/vPvB or endocrine-disrupting substances ≥ 0.1%. Do not allow to enter drains or watercourses.

SECTION 13: Disposal considerations

Product	Dispose of through a licensed waste operator according to local/national regulations. Do not discharge to drains.
Hazardous properties (waste)	HP4, HP13, HP14
Contaminated packaging	Empty completely; do not reuse; dispose of as unused product.

SECTION 14: Transport information

Not classified as dangerous goods (ADR/RID/IMDG/IATA) at 23% — Aquatic Chronic 3 is not regulated for transport. The pure fragrance (100%) is UN 3082, Class 9, PG III.

SECTION 15: Regulatory information

EU regulations	Regulation (EC) No 1272/2008 (CLP); Regulation (EC) No 1907/2006 (REACH); Regulation (EU) 2020/878.
SVHC / Annex XIV / Annex XVII	No SVHC ≥ 0.1%; no Annex XIV substances.
PCN / UFI	Classified for health hazards (H317, H319): a PCN with its own UFI is required if this preparation is placed on the market; the fragrance UFI (M4WT-9MVD-JU1A-W853) can be declared as a component (MiM).
IFRA (51st)	Reed diffusers (Cat. 10A): max 23.35% fragrance — this 23% preparation complies if used neat. Room sprays (Cat. 10B): max 15.00% fragrance.

SECTION 16: Other information

Revision	Version 1.1 — Eco Candle Project edition, 04/11/2026. Based on the manufacturer's SDS for the pure fragrance (version 3 of 21/09/2023, issued 21/09/2023), allergen declaration and IFRA 51st Amendment certificate (05/09/2023). The manufacturer declares component concentrations as ranges. The exact values from the manufacturer's allergen declaration (20/04/2023) were used for coumarin (0.5%), eugenol (0.199%), d-limonene (0.353%) and cinnamal (0.069%), and the upper limit of the range otherwise (conservative); with these values the calculation reproduces the manufacturer's classification of the pure fragrance (H315, H317, H319, H411). Eye Irrit. 2 results from camphor (Eye Dam. 1, ≤ 2.49%, counted ×10) together with diphenyl ether and menthol; camphor stays below the 3% limit for Eye Dam. 1. The manufacturer has not issued SDSs for diluted preparations — the classifications of the 5%, 10% and 23% preparations were calculated by Eco Candle Project with the CLP calculation method. Because the IFRA Category 10A limit is 23.35%, the diffuser preparation was calculated at 23% in Augeo Clean Multi instead of 25%. UFI M4WT-9MVD-JU1A-W853 as confirmed by the manufacturer (22/10/2026). Changes from version 1.0 (22/10/2026): the generic cut-off values of Regulation (EC) No 1272/2008, Annex I, Table 1.1 are now applied in the summation method for aquatic hazards (ingredients below 1 % — or 0.1 % ÷ M for Aquatic Acute 1 / Chronic 1 — are not taken into account). 5% preparation: H412 → not classified. Composition, other hazard classes and IFRA limits unchanged. Classification of the 23% preparation calculated by Eco Candle Project.
Abbreviations	ATE = Acute Toxicity Estimate; UFI = Unique Formula Identifier; PCN = Poison Centre Notification; SCL = specific concentration limit; OTNE = tetramethyl acetyloctahydronaphthalenes; SVHC = Substance of Very High Concern.

Full text of H-statements (Sections 2 and 3):

H226 Flammable liquid and vapour. **H228** Flammable solid. **H301** Toxic if swallowed. **H302** Harmful if swallowed. **H304** May be fatal if swallowed and enters airways. **H312** Harmful in contact with skin. **H315** Causes skin irritation. **H317** May cause an allergic skin reaction. **H318** Causes serious eye damage. **H319** Causes serious eye irritation. **H332** Harmful if inhaled. **H371** May cause damage to organs. **H400** Very toxic to aquatic life. **H410** Very toxic to aquatic life with long lasting effects. **H411** Toxic to aquatic life with long lasting effects. **H412** Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and on the manufacturer's data and describes the product for health, safety and environmental purposes only. Users must ensure suitability for their own application. If a different base is used, the classification must be recalculated.

ANNEX — Calculation record (23%)

Hazard class	Fragrance 100%	Calculation at 23% / threshold	Result at 23%
Acute toxicity (oral)	Not classified (ATE 16,394)	ATE ≈ 71,277 mg/kg / ≤ 2000	Not classified
Aspiration hazard	Not classified	Σ = 1.80% / ≥ 10%	Not classified
Skin irritation	Skin Irrit. 2	Σ = 0.00% / ≥ 10%	Not classified
Eye irritation	Eye Irrit. 2	Σ = 77.0% / ≥ 10%	Eye Irrit. 2 — H319
Skin sensitisation	Skin Sens. 1	4-tert-Butylcyclohexyl acetate 2.30% / ≥ 1%	Skin Sens. 1 — H317
Aquatic chronic	Aquatic Chronic 2	C2: 20.6%; C3: 205.6% / ≥ 25%	Aquatic Chronic 3 — H412
Physical hazards	Not classified (FP > 85 °C)	FP > 60 °C	Not classified

Calculated from the composition declared in the manufacturer's SDS (100%). The same method reproduces the manufacturer's classification of the pure fragrance; Augeo Clean Multi adds H319.